

NU-FILM® 17

For full particulars see enclosed leaflet/ Vir volle besonderhede lees ingeslote pamflet



Reg. No. L2981


Act No. / Wet Nr 36 of / van 1947

NON-IONIC EXTENDER STICKER-SPREADER

An Extender Sticker-Spreader agent designed to prolong the effective lifespan of Insecticides, Fungicides, and Foliar fertilizers.

ACTIVE INGREDIENTS / AKTIEWE BESTANDDELE:

Di-1-p-Menthene905 g/L



Batch No.
Lotnr.

Date of manufacture
Expiry date:



Net Volume



MANUFACTURED IN THE UNITED STATES BY MILLER CHEMICAL & FERTILIZER, LLC
Hanover, Pennsylvania 17331, USA



A HUBER COMPANY

REGISTERED AND DISTRIBUTED BY: / GEREGISTREER EN VERSPREI DEUR:



PROPERTIES (PTY) LTD/ EDMS BPK | Reg. No. 1984/00638/07
1 Gerard Braak Street, Pyramid, 0120 | PO Box 17220, Pretoria North, 0116, South Africa
Tel: (012) 545 8000 • Fax: (012) 545 8088 • Emergency No. / Noodnr: 082 446 8946



CAUTION
VERSIGTIG



NU-FILM® 17

NON-IONIC EXTENDER STICKER-SPREADER

An Extender Sticker-Spreader agent designed to prolong the effective lifespan of Insecticides, Fungicides and Foliar fertilizers.

ACTIVE INGREDIENT

Di-1-p-Menthene.....905 g/L

Reg. No. L2981

Act 36 of 1947

WARNINGS

Allow the following number of days between last application and harvest:

All crops.....30 days

- Observe warnings that apply to the product with which it is to be used.
- Store away from food and feedstuffs.
- Moderately irritating to eyes and skin.
- Keep out of reach of children.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

- Avoid contact with skin, eyes and clothing.
- Wear rubber gloves and face shield protection when handling the concentrate.
- Rinse tank, lines and nozzles, immediately after use, with water.
- Destroy empty containers.
- Do not use **NU-FILM® 17** together with herbicides.

USE RESTRICTIONS

- Do not apply less than one hour before anticipated rain. The film requires one hour to set completely.

GENERAL INFORMATION

- **NU-FILM® 17** forms a sticky elastic film which holds the pesticide or foliar fertilizers on the crop foliage. This protective film may reduce the effects of environmental degrading factors, which increases the effectiveness of pesticide sprays. The protected film breaks down layer by layer over a period of time. The time required for full breakdown depends on dosage rate and environmental conditions.
- **NU-FILM® 17** will not foam, freeze or clog nozzles. It has been proven effective when applied by any aircraft or ground sprayer. It improves the initial pesticide or foliar fertilizers deposit and allows excellent distribution of aircraft and concentrated sprayer deposits, to give complete coverage.
- **NU-FILM® 17** prevents the loss by rainfall, overhead irrigation and wind erosion of pesticides or foliar fertilizers from the leaf surfaces for 18-28 days. Pesticide or foliar fertilizer volatilisation is minimised by protective film. Loss of pesticide or foliar fertilizer deposit by the abrasive activity of leaves rubbing together is also prevented.
- **NU-FILM® 17** is compatible with most insecticides, fungicides and foliar fertilizers.

DIRECTIONS FOR USE

USE ONLY AS INDICATED

GENERAL APPLICATIONS:

- Under most conditions spray **NU-FILM® 17** at least one hour, during sunlight, before anticipated rain.
- Sunlight for this time period is needed for the protective film to set.

PURPOSE	DOSAGE	REMARKS
AS A STICKER: To control the lifespan of the pesticide by forming a sticky elastic film that encapsulates and holds the pesticide on the crop foliage.	300 – 500 ml/ha	Up to the normal pesticide cut-off time.
AS A SPREADER: Helps the pesticide spray spread out uniformly on hairy or waxy plant parts to get into cracks and crevices.	300 – 500 ml/ha	Up to the normal pesticide cut-off time.
AS AN EXTENDER: To extend the time between spraying of some pesticides.	Limited extender 600 ml/ha Full extender 1.2 L/ha	DO NOT APPLY NU-FILM® 17 AS AN EXTENDER WITHIN 30 DAYS OF HARVEST OF FOOD CROPS UNLESS UNDER SPECIFIC APPLICATIONS. Specific applications caution: The use of NU-FILM® 17 on tolerance exempt pesticides close to harvest may result in visible residues on crops that may render them unsaleable. If this becomes a problem, do not use NU-FILM® 17 .

- **NU-FILM® 17** is compatible with most insecticides, fungicides and foliar fertilizers.
- Not recommended for use with herbicides.

To convert rates per hectare to rates per 100 litres of water – use the following equation:

$$\text{ml of NU-FILM® 17 per 100 L of water} = \frac{\text{NU-FILM® 17 Rate per Hectare required (ml/ha)} \times 100}{\text{Water rate applied (Liters/ha)}}$$

eg. **NU-FILM® 17** as a sticker @ 500 ml/ha with 1000 Liters of water applied per hectare.

$$\frac{500 \times 100}{1000} = 50 \text{ ml of NU-FILM® 17 per 100 liters of tank mix.}$$

MIXING INSTRUCTIONS

Add **NU-FILM® 17** to spray tank as it is filling while agitating. To ensure good emulsification of this product, it is advisable to pre-mix **NU-FILM® 17** with water before adding to the spray tank. Add **NU-FILM® 17** to the spray tank as the last ingredient with vigorous stirring. Rinse tank, lines and nozzles, immediately after spraying, with water. After rinsing, there may still be a small amount of sticky residue in the tank. This will help to prevent rusting and corrosion. It will not clog nozzles when sprayer is used again. If spray happens to land on undesired surfaces, such as windows, cars, application equipment or others, it can be removed with soap and water, before the spray deposit is dry or with premium grade or white kerosene after the film has dried or set.

MANUFACTURED IN THE UNITED STATES BY
MILLER CHEMICAL & FERTILIZER, LLC
 Hanover, Pennsylvania 17331, USA

REGISTERED AND DISTRIBUTED BY: / GEREĞISTREER EN VERSPREI DEUR:



PROPERTIES (PTY) LTD/ EDMS BPK | Reg. No. 1984/00638/07
 1 Gerard Braak Street, Pyramid, 0120 | PO Box 17220, Pretoria North, 0116, South Africa
 Tel: (012) 545 8000 • Fax: (012) 545 8088 • Emergency No. / Noodnr: 082 446 8946

VR PRINT (031) 569 1235
ATTACH-A-LEAFLET®